

PROFILE REF: 4276A01

590.0

91.5

191.5

233.0

USE BIOCIDES SAFELY / READ THE LABEL

- READY TO USE
- REFILLABLE

RAT KILLER & BAIT STATION
WITH RAT KILLER PRELOADED



DeadFast®

RAT KILLER & BAIT STATION

WITH RAT KILLER PRELOADED



CAN KILL IN ONE FEEDING
MAY BE USED INDOORS AND OUTDOORS



RAT KILLER & BAIT STATION

WITH RAT KILLER PRELOADED



- READY TO USE
- REFILLABLE

USE BIOCIDES SAFELY / READ THE LABEL

RAT KILLER & BAIT STATION

WITH RAT KILLER PRELOADED

A ready to use grain bait anticoagulant rodenticide, for the effective control of rats indoors and outdoors (around buildings), for use by non-professionals only.

HOW TO USE:

Rats	Low Infestation	Distance between tamper resistant bait stations : 8 to 10 meters
	High Infestation	Distance between tamper resistant bait stations : 4 to 5 meters

This product can be refilled with Deadfast Rat and Mouse Killer sachets. To refill place 200g (4 x sachets) of Deadfast Rat & Mouse Killer in the bait station and locate according to the table above.

Wash hands and exposed skin before meals and after use.

For use only in areas that are inaccessible to infants, children, companion animals and non-target animals. Prevent access to bait by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Wherever possible, secure baits so that they cannot be dragged away.

Unless under the supervision of a pest control operator, or other competent person, do not use anticoagulant rodenticides as permanent baits. In most cases, anticoagulant bait should have achieved control within 35 days. Search for and remove dead rodents at frequent intervals during treatment, at least as often as when baits are checked and/or replenished. Daily inspection may be required in some cases.

PUBLIC AREA USE: When the product is being used in public areas, the treated areas must be marked during the treatment period, and a notice explaining the risk of primary or secondary poisoning by the anticoagulant, as well as indicating the first measures to be taken in case of poisoning must be made available alongside the baits. Where tamper resistant bait stations are used, they should be clearly marked to show that they contain rodenticides and that they should not be disturbed.

Antidote Vitamin K1 (under medical supervision). UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

STORAGE: Store in the original container in a dry and well-ventilated place. Keep away from sun radiation and other heat sources. Protect against frost. This product is stable for 45 months.

EMERGENCY MEASURES: Bromadiolone is an anticoagulant which may produce bleeding; the onset of bleeding may be delayed for several days after exposure. If there is no active bleeding, the INR (prothrombin time) should be measured on presentation and 48-72 hours after exposure. If the INR is >4, administer Vitamin K1 (phytomenadione) 5-10mg by slow intravenous injection (100µg/kg body weight for a child). Treatment with phytomenadione (orally or intravenously) may be required for several weeks. The advice of the National Poisons Information Service (<http://www.npis.org>) should be sought, particularly if active bleeding occurs.

DISPOSAL: Remove all baits after treatment and dispose of them in accordance with local requirements. Dead rodents and bait found outside bait stations should be disposed of using protective gloves. In the UK, waste bait should be double-bagged using plastic bags and disposed of in a household waste bin with a secure lid to prevent access of wildlife or pets or taken to a civic amenity site. For information on civic amenity sites contact the local authority.

Regulatory information:
DEADFAST RAT AND MOUSE KILLER
 UK-2015-0938
 Authorisation holder: Liphatech S.A.S - Bonnel - 47480 Pont du Casse (France)
 Active substances: BROMADIOLONE 0.005% w/w (0.05g/kg) (CAS number: 28772-56-7)
 Biocide - PT14 Rodenticide

Keep out of the reach of children.
 Do not eat, drink or smoke when using this product.
 If swallowed: Immediately call a poison center or doctor/physician.
 Dispose of contents and container according to local regulations.

DO NOT OPEN SACHETS WITHIN BAIT BOX. THESE ARE PERFORATED AND SHOULD BE LEFT WITHIN THE STATIONS AS THEY ARE. RETAIN PACKAGING FOR INFORMATION.

Use Biocides safely, and always read the label before use.
Only use this product where there is a need to do so.
To avoid risks to man and the environment, comply with the instructions for use.

Westland Horticulture Limited
 14 Granville Industrial Estate
 Granville Road, Dunganon,
 Co. Tyrone BT70 1JN
 Tel: +44 (0) 1480 443789
www.gardenhealth.com
 ©Westland Horticulture Limited 2016



BOX
CARD
widely
recycled

20300337 - 302758 - v1



5 023377 002298 >

PRINT FACE <<< GRAIN >>>